## **IN THE CLAIMS**

For the convenience of the Examiner, all pending claims of the Application are reproduced below.

- 1. **(Withdrawn)** An input device for use with a system operable to process an electronic communication comprising:
- a function button operably associated with selecting a specific electronic communication function; and

an identification key operable to identify the input device in response to a user selecting the function button.

- 2. **(Withdrawn)** The device of Claim 1, further comprising memory operable to store the identification key.
- 3. **(Withdrawn)** The device of Claim 2, wherein the memory may be periodically updated to include a new identification key.
- 4. **(Withdrawn)** The device of Claim 1, wherein the identification key comprises a user password.
- 5. **(Withdrawn)** The device of Claim 1, wherein the electronic communication function comprises a send button.
- 6. **(Withdrawn)** The device of Claim 1, wherein the electronic communication function comprises a forward button.
  - 7. (Withdrawn) The device of Claim 1, further comprising a keyboard.
  - 8. (Withdrawn) The device of Claim 1, further comprising a pointing device.

- 9. **(Withdrawn)** The device of Claim 1, further comprising the function button operably associated with selecting an email function.
- 10. (Currently Amended) A method for providing an identifier for processing an electronic communication comprising:

receiving a request via an input device to process the electronic communication, the requested process selected from the group consisting comprising at least one of a selected forward request, a send request, a save request, a delete request, a reply request and a check request;

determining an identification key associated with the input device, the identification key uniquely identifying the input device; and

processing the electronic communication using the **requesting** <u>requested</u> process upon validating the identification key.

- 11. (Original) The method of Claim 10, further comprising:

  accessing a portion of memory to determine the identification key;

  receiving the identification key from the input device; and

  comparing the received identification key to a the stored identification key to

  determine if the input is valid.
  - 12. **(Original)** The method of Claim 10, further comprising: receiving the request via a port operably associated with the input device; receiving the identification key from the input device; and verifying the request and the identification key.
- 13. **(Original)** The method of Claim 10, further comprising:
  quarantining the electronic communication if the identification key is not valid;
  and
  notifying a user of the quarantined electronic communication.

- 14. **(Original)** The method of Claim 10, further comprising: determining if the request originated from the input device; and processing the request if the input originated at the input device.
- 15. **(Previously Presented)** The method of Claim 10, further comprising: storing the identification key within a memory associated with the input device.
- 16. (Previously Presented) The method of Claim 10, further comprising:
  determining an electronic communication process associated with the input
  device; and
  associating the request with one or more buttons associated with the input device.
- 17. (Original) The method of Claim 16, further comprising receiving an input from a user to select the one or more function buttons.
- 18. (Original) The method of Claim 10, further comprising displaying a function button within a user interface associated with the input device.
- 19. (Original) The method of Claim 10, further comprising associating an encrypted device identifier within the electronic communication upon processing the electronic communication.
- 20. (Withdrawn) A system operably associated with processing an electronic communication in the form of an email comprising:

a processor operable to process the email;

memory operably coupled to the processor; and

an input device operably coupled to the processor, the processor operable to

validate a user request via the input device to process an email.

- 21. **(Withdrawn)** The system of Claim 20, wherein the input device comprises a keyboard including a identification key operable to identify a user request via the keyboard to process the email.
- 22. **(Withdrawn)** The system of Claim 21, wherein the keyboard comprises memory operable to store the identification key.
- 23. (Withdrawn) The system of Claim 20, further comprising a pointing device including an identification key operable to identify a user request via the pointing device to process the email.
- 24. (Withdrawn) The system of Claim 20, further comprising a graphical user interface operable to display an email software program.
- 25. (Previously Presented) A method for processing an electronic communication in the form of email using a system comprising:

determining an input device operably coupled to the system;

determining an identification key associated with the input device, the identification key uniquely identifying the input device; and

processing an email upon receiving a valid request from the input device to either forward, send, save, delete, reply, or check the email.

- 26. (Original) The method of Claim 25, further comprising: determining a function button operably associated with the input device; and receiving an input to process the email via a user selecting the function button.
- 27. (Original) The method of Claim 25, further comprising: receiving an input from the input device to process the email; verifying the input device is valid; and processing the email based on the verification.

- 28. (Original) The method of Claim 27, further comprising processing the email using a function associated with the requested process upon the input device being valid.
- 29. (Original) The method of Claim 28, further comprising associating an encrypted identifier with the email.
- 30. (Original) The method of Claim 28, further comprising:
  quarantining the email upon the input device determining the input device is not
  valid; and
  notifying a user of the quarantined email.
- 31. (Currently Amended) An input device for use with a system operable to process an electronic communication comprising:

means for receiving a request via an input device to process an electronic communication;

means for determining an identification key operable to identify the input device, the identification key uniquely identifying the input device; and

means for processing the email using the **requesting** <u>requested</u> process upon validating the identification key.

- 32. (Previously Presented) The input device of Claim 31, further comprising: means for accessing a portion of memory to determine the identification key; means for receiving the identification key from the input device; and means for comparing the received identification key to a the stored identification key to determine if the input is valid.
  - 33. **(Previously Presented)** The input device of Claim 31, further comprising: means for receiving a request via a port operably associated with the input device; means for receiving the identification key from the input device; and means for verifying the request and the identification key.

34. (Previously Presented) A medium including encoded logic for processing electronic communications comprising the logic operable to:

determine an input device operably coupled to the system;

determine an identification key associated with the input device, the identification key uniquely identifying the input device; and

process an electronic communication upon receiving a valid request from the input device to process the email.

35. (Original) The medium as recited in Claim 34, further comprising the logic operable to:

determine a function button operably associated with the input device; and

receive an input to process the email via a user selecting the function button.

36. (Original) The medium as recited in Claim 35, further comprising the logic operable to:receive an input from the input device to process the email;verify the input device is valid; and

process the electronic communication based on the verification.

37. (Original) The medium as recited in Claim 35, further comprising the logic operable to process the electronic communication using a function associated with the requested process upon the input device being valid.